

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|---------|--|---|------------------|---------|------------------|
| S1 | 36850 | (data or column or source) with brightness | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/11/22 14:10 |
| S2 | 75 | S1 same (voltage near detect\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/11/22 11:17 |
| S3 | 1631 | light near emitt\$5 with brightness with current | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/11/22 11:18 |
| S4 | 0 | S3 same threshod near voltage | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/11/22 11:18 |
| S5 | 43 | S3 same threshold near voltage | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/11/22 11:18 |
| S6 | 7 | brightness near3 (switch\$5) with data near line | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/11/22 13:26 |
| S7 | 2931305 | threshold near voltage same on ame off | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/11/22 13:26 |
| S8 | 8828551 | s | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/11/22 13:26 |
| S9 | 5 | threshold near voltage same on same off | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/11/22 13:27 |

EAST Search History

| | | | | | | |
|-----|-------|---|---|----|-----|------------------|
| S10 | 0 | threshold near voltage same on same "off.clm" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/11/22 13:27 |
| S11 | 0 | threshold near voltage same on same off.clm. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/11/22 13:27 |
| S12 | 17496 | threshold near voltage .clm. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/11/22 13:27 |
| S13 | 623 | S12 and brightness | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/11/22 13:28 |
| S14 | 312 | S13 and light near emitt\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/11/22 13:37 |
| S15 | 464 | data near line with brightness | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/11/22 13:38 |
| S16 | 50 | S15 same voltage same (light near emitt\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/11/22 13:38 |
| S17 | 2107 | threshold near voltage near detect\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/11/22 14:10 |
| S18 | 9 | S17 same brightness | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/11/22 14:12 |

Day : Sunday
Date: 11/26/2006



PALM INTRANET

Time: 13:06:06

Inventor Name Search Result

Your Search was:

Last Name = ONO

First Name = SHINYA

| Application# | Patent# | Status | Date Filed | Title | Inventor Name |
|--------------------------|-------------------------|--------|------------|---|---------------|
| 09320143 | 6174246 | 150 | 05/26/1999 | MULTI-PIECE SOLID GOLF BALL | ONO, SHINYA |
| 09576801 | 6319147 | 150 | 05/23/2000 | Iron golf club set | ONO, SHINYA |
| 10205175 | 6903713 | 150 | 07/25/2002 | LIQUID CRYSTAL DISPLAY DEVICE AND DRIVING METHOD | ONO, SHINYA |
| 10373475 | 7102202 | 150 | 02/25/2003 | DISPLAY UNIT, DRIVE CIRCUIT, AMORPHOUS SILICON THIN-FILM TRANSISTOR, AND METHOD OF DRIVING OLED | ONO, SHINYA |
| 10715851 | 6943501 | 150 | 11/19/2003 | ELECTROLUMINESCENT DISPLAY APPARATUS AND DRIVING METHOD THEREOF | ONO, SHINYA |
| 10779682 | Not Issued | 41 | 02/18/2004 | Image display apparatus using current-controlled light emitting element | ONO, SHINYA |
| 10782861 | Not Issued | 30 | 02/23/2004 | Display apparatus controlling brightness of current-controlled light emitting element | ONO, SHINYA |
| 10843337 | Not Issued | 93 | 05/12/2004 | THIN-FILM TRANSISTOR IN WHICH FLUCTUATIONS IN CURRENT FLOWING THERE THROUGH ARE SUPPRESSED, AND IMAGE DISPLAY APPARATUS | ONO, SHINYA |
| 10844355 | Not Issued | 30 | 05/13/2004 | Image display apparatus controlling brightness of current-controlled light emitting element | ONO, SHINYA |
| 10859161 | Not Issued | 93 | 06/03/2004 | IMAGE DISPLAY APPARATUS | ONO, SHINYA |
| 10860036 | Not | 30 | 06/04/2004 | Image display apparatus | ONO, SHINYA |

| | Issued | | | | |
|-----------------|----------------|-----|------------|---|---------------|
| <u>10912756</u> | Not Issued | 93 | 08/05/2004 | COLOR FILTERLESS DISPLAY DEVICE, OPTICAL ELEMENT, AND MANUFACTURE | ONO, SHINYA |
| <u>10926259</u> | <u>7122970</u> | 150 | 08/25/2004 | METHOD FOR TESTING OLED SUBSTRATE AND OLED DISPLAY | ONO, SHINYA |
| <u>10926379</u> | <u>7122956</u> | 150 | 08/25/2004 | OLED DISPLAY AND METHOD OF MANUFACTURING SUCH DISPLAY | ONO, SHINYA |
| <u>11007164</u> | Not Issued | 25 | 12/09/2004 | Image display device | ONO, SHINYA |
| <u>11144662</u> | Not Issued | 20 | 06/06/2005 | Display with current controlled light-emitting device | ONO, SHINYA |
| <u>11153445</u> | Not Issued | 93 | 06/16/2005 | DISPLAY DEVICE AND METHOD OF DRIVING THE SAME | ONO, SHINYA |
| <u>11159317</u> | Not Issued | 20 | 06/23/2005 | Driver for display panel and image display apparatus | ONO, SHINYA |
| <u>11159327</u> | Not Issued | 30 | 06/23/2005 | Image display | ONO, SHINYA |
| <u>11159328</u> | Not Issued | 20 | 06/23/2005 | Image display apparatus and method of driving same | ONO, SHINYA |
| <u>11266543</u> | Not Issued | 20 | 11/03/2005 | Display unit, drive circuit, amorphous silicon thin-film transistor, and method of driving OLED | ONO, SHINYA |
| <u>11366283</u> | Not Issued | 20 | 03/02/2006 | Display apparatus | ONO, SHINYA |
| <u>11530644</u> | Not Issued | 25 | 09/11/2006 | THIN FILM TRANSISTOR IN WHICH FLUCTUATIONS IN CURRENT FLOWING THERE THROUGH ARE SUPPRESSED, AND IMAGE DISPLAY APPARATUS | ONO, SHINYA |
| <u>11589868</u> | Not Issued | 20 | 10/31/2006 | Image display apparatus and method for driving the same | ONO, SHINYA |
| <u>09267698</u> | <u>6294978</u> | 150 | 03/15/1999 | HIGH-CURRENT FUSE FOR VEHICLES | ONODA, SHINYA |
| <u>10725435</u> | <u>6830482</u> | 150 | 12/03/2003 | FUSIBLE LINK AND METHOD OF PRODUCING SAID FUSIBLE LINK | ONODA, SHINYA |
| <u>11017765</u> | Not Issued | 30 | 12/22/2004 | Fusible link unit | ONODA, SHINYA |
| | | | | | |

| | | | | | |
|-----------------|----------------|-----|------------|--|------------------|
| <u>11521340</u> | Not Issued | 25 | 09/15/2006 | Fusible link | ONODA, SHINYA |
| <u>29134993</u> | <u>D453741</u> | 150 | 01/03/2001 | Fuse | ONODA, SHINYA |
| <u>29150400</u> | <u>D461169</u> | 150 | 11/16/2001 | FUSE | ONODA, SHINYA |
| <u>07318015</u> | Not Issued | 166 | 03/02/1989 | SWITCH | ONODERA, SHINYA |
| <u>07702126</u> | Not Issued | 161 | 05/16/1991 | SWITCH HAVING ARRANGEMENT FOR POSITIONING MOVABLE CONTACT | ONODERA, SHINYA |
| <u>08028195</u> | <u>5342219</u> | 150 | 03/09/1993 | TERMINAL-LOCKING CONSTRUCTION | ONODERA, SHINYA |
| <u>10775250</u> | <u>6965507</u> | 150 | 02/11/2004 | MULTILAYER CAPACITOR | ONODERA, SHINYA |
| <u>11240835</u> | Not Issued | 93 | 10/03/2005 | MULTILAYER CAPACITOR | ONODERA, SHINYA |
| <u>11347296</u> | Not Issued | 30 | 02/06/2006 | Ceramic electronic component and multilayer capacitor | ONODERA, SHINYA |
| <u>09700299</u> | <u>6522463</u> | 150 | 11/13/2000 | INFRARED ABSORPTION FILTER | ONOMICHI, SHINYA |
| <u>09740519</u> | <u>6542292</u> | 150 | 12/19/2000 | INFRARED ABSORPTION FILTER | ONOMICHI, SHINYA |
| <u>10567761</u> | Not Issued | 25 | 02/10/2006 | Near-infrared absorbing film, and process for producing the same, near-infrared absorbing film roll, process for producing the same and near-infrared absorbing filter | ONOMICHI, SHINYA |
| <u>10897393</u> | Not Issued | 90 | 07/23/2004 | INFRARED ABSORPTION FILTER | ONOMICHI, SHINYA |
| <u>10897394</u> | Not Issued | 90 | 07/23/2004 | INFRARED ABSORPTION FILTER | ONOMICHI, SHINYA |

Inventor Search Completed: No Records to Display.

Search Another: Inventor Last Name First Name

ONO SHINYA Search

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

Day : Sunday
Date: 11/26/2006


PALM INTRANET

Time: 13:06:13

Inventor Name Search Result

Your Search was:

Last Name = KOBAYASHI

First Name = YOSHINAO

| Application# | Patent# | Status | Date Filed | Title | Inventor Name |
|-----------------|----------------|--------|------------|--|---------------------|
| <u>06715499</u> | <u>4707733</u> | 150 | 03/25/1985 | INFORMATION SIGNAL RECORDING DISC COMPRISING A CONNECTED REGION FORMED BETWEEN PARALLEL PROGRAM RECORDED AND SINGLE PROGRAM RECORDED REGIONS, AND REPRODUCING APPARATUS THEREFOR | KOBAYASHI, YOSHINAO |
| <u>06728308</u> | <u>4695904</u> | 150 | 04/29/1985 | INFORMATION SIGNAL RECORDING DISC RECORDED WITH AN END SIGNAL FOR SELECTIVELY PREVENTING UNWANTED ACCESS TO PREDETERMINED RECORDED INFORMATION AND DISC REPRODUCING APPARATUS THEREFOR | KOBAYASHI, YOSHINAO |
| <u>07330084</u> | <u>4973516</u> | 150 | 03/09/1989 | GASKETS FOR USE IN INTERNAL COMBUSTION ENGINES | KOBAYASHI, YOSHINAO |
| <u>07543315</u> | <u>5222214</u> | 150 | 06/25/1990 | IMAGE PROCESSING USING A RAM AND REPEAT READ-MODIFY-WRITE OPERATION | KOBAYASHI, YOSHINAO |
| <u>08078645</u> | <u>5377640</u> | 250 | 06/21/1993 | PLUG CAP DEVICE | KOBAYASHI, YOSHINAO |
| <u>08120272</u> | Not Issued | 166 | 09/10/1993 | CONNECTING ASSEMBLY FOR IGNITION PLUG IN GASOLINE ENGINE AND METHOD FOR PRODUCING SAME | KOBAYASHI, YOSHINAO |
| <u>08216663</u> | Not Issued | 161 | 03/23/1994 | SPARK PLUG DEVICE | KOBAYASHI, YOSHINAO |

| | | | | | |
|-----------------|----------------|-----|------------|---|---------------------|
| <u>08281748</u> | <u>5547387</u> | 150 | 07/28/1994 | JOINT CONSTRUCTION FOR IGNITION SYSTEM | KOBAYASHI, YOSHINAO |
| <u>08328705</u> | <u>5549082</u> | 150 | 10/25/1994 | AIR VENT STRUCTURE FOR PLUG CAP | KOBAYASHI, YOSHINAO |
| <u>08336153</u> | <u>5539666</u> | 150 | 11/08/1994 | DATA COMMUNICATIONS METHOD AND SYSTEM COUPLING DEVICE | KOBAYASHI, YOSHINAO |
| <u>08354506</u> | <u>5736678</u> | 150 | 12/12/1994 | TERMINAL FOR HIGH-VOLTAGE RESISTANT ELECTRICAL WIRE | KOBAYASHI, YOSHINAO |
| <u>08523654</u> | <u>5724036</u> | 150 | 09/05/1995 | DIGITAL-TO-ANALOG CONVERTER WITH GAMMA COMPENSATION AND A LIQUID CRYSTAL DISPLAY DEVICE USING SAME | KOBAYASHI, YOSHINAO |
| <u>08538752</u> | <u>5679011</u> | 250 | 10/03/1995 | NPARK PLUG DEVICE | KOBAYASHI, YOSHINAO |
| <u>08538787</u> | <u>5593308</u> | 150 | 09/03/1995 | CONNECTING ASSEMBLY FOR IGNITION PLUG IN GASOLINE ENGINE AND METHOD FOR PRODUCING SAME | KOBAYASHI, YOSHINAO |
| <u>08571745</u> | <u>5739816</u> | 250 | 12/13/1995 | ANALOG VIDEO SIGNAL COMPENSATING APPARATUS AND TFT LIQUID CRYSTAL DISPLAY DEVICE | KOBAYASHI, YOSHINAO |
| <u>08575532</u> | Not Issued | 161 | 12/20/1995 | SAMPLE HOLD CIRCUIT AND A LIQUID CRYSTAL DISPLAY | KOBAYASHI, YOSHINAO |
| <u>08693910</u> | <u>5810610</u> | 250 | 08/05/1996 | DEVICE FOR CONNECTING A CABLE, IN PARTICULAR A HIGH-VOLTAGE CABLE FOR AN INTERNAL COMBUSTION ENGINE | KOBAYASHI, YOSHINAO |
| <u>08758925</u> | Not Issued | 161 | 12/02/1996 | WIRE END CONNECTION CONSTRUCTION | KOBAYASHI, YOSHINAO |
| <u>08913215</u> | Not Issued | 161 | 09/10/1997 | BUFFER AMPLIFIER FOR LIQUID CRYSTAL DISPLAY UNIT | KOBAYASHI, YOSHINAO |
| <u>08928538</u> | <u>5928315</u> | 150 | 09/12/1997 | APPARATUS AND METHOD FOR CALCULATING BC MOD N | KOBAYASHI, YOSHINAO |
| <u>08952625</u> | <u>6094192</u> | 150 | 11/20/1997 | COMMON ELECTRODE DRIVING DEVICE IN A LIQUID CRYSTAL DISPLAY | KOBAYASHI, YOSHINAO |
| <u>08969540</u> | <u>6048217</u> | 150 | 11/13/1997 | CONNECTING DEVICE FOR | KOBAYASHI, |

| | | | | | |
|-----------------|----------------|-----|------------|---|------------------------|
| | | | | HIGH-VOLTAGE CABLE | YOSHINAO |
| <u>08981766</u> | <u>6184855</u> | 150 | 12/30/1997 | LIQUID CRYSTAL DISPLAY PANEL DRIVING DEVICE | KOBAYASHI, YOSHINAO |
| <u>08997947</u> | <u>5975926</u> | 250 | 12/24/1997 | METAL SHIELD FOR A PLUG CONNECTION | KOBAYASHI, YOSHINAO |
| <u>09041380</u> | <u>6282291</u> | 150 | 03/12/1998 | METHOD AND APPARATUS FOR ENCRYPTING INPUT BIT SEQUENCE | KOBAYASHI, YOSHINAO |
| <u>09073608</u> | <u>6056562</u> | 150 | 05/06/1998 | WIRE END CONSTRUCTION | KOBAYASHI, YOSHINAO |
| <u>09102532</u> | <u>6199091</u> | 150 | 06/22/1998 | CARRY SKIP ADDER | KOBAYASHI, YOSHINAO |
| <u>09219942</u> | <u>6317769</u> | 150 | 12/23/1998 | APPARATUS FOR CALCULATING OF BC (MOD N) WITH REPEATEDLY SHIFTING A HOLDING VALUE | KOBAYASHI, YOSHINAO |
| <u>09265897</u> | <u>6259030</u> | 250 | 03/11/1999 | ELECTRICAL CABLES ADAPTED FOR HIGH VOLTAGE APPLICATIONS | KOBAYASHI, YOSHINAO |
| <u>09348581</u> | <u>6252172</u> | 250 | 07/07/1999 | ELECTRICAL CABLE ADAPTED FOR HIGH- VOLTAGE APPLICATIONS | KOBAYASHI, YOSHINAO |
| <u>09493680</u> | <u>6335489</u> | 250 | 01/28/2000 | Connecting device for high-voltage cable | KOBAYASHI, YOSHINAO |
| <u>09699976</u> | <u>6735612</u> | 150 | 10/30/2000 | CARRY SKIP ADDER | KOBAYASHI, YOSHINAO |
| <u>09733914</u> | <u>6494523</u> | 150 | 12/12/2000 | HARNESS-WIRING SYSTEM FOR A SLIDING DOOR OF VECHICLES | KOBAYASHI, YOSHINAO |
| <u>10025630</u> | <u>6739198</u> | 150 | 12/26/2001 | PRESSURE SENSITIVE SENSOR | KOBAYASHI, YOSHINAO |
| <u>10162812</u> | <u>6988120</u> | 150 | 06/04/2002 | ARITHMETIC UNIT AND METHOD THEREOF | KOBAYASHI, YOSHINAO |
| <u>10188731</u> | <u>6796834</u> | 150 | 07/02/2002 | WIRE HARNESS-WIRING SLIDING PART | KOBAYASHI, YOSHINAO |
| <u>10364392</u> | <u>7001858</u> | 150 | 02/12/2003 | GLASS FIBER AND THERMOPLASTIC RESIN COMPOSITION | KOBAYASHI, YOSHINAO |
| <u>10373475</u> | <u>7102202</u> | 150 | 02/25/2003 | DISPLAY UNIT, DRIVE CIRCUIT, AMORPHOUS SILICON THIN-FILM TRANSISTOR, AND METHOD OF DRIVING OLED | KOBAYASHI, YOSHINAO |
| | | | | | |

| | | | | | |
|--------------------------|-------------------------|-----|------------|---|---------------------|
| 10602313 | 7082720 | 150 | 06/24/2003 | CABLE GUIDE AND POWER SUPPLY APPARATUS FOR A VEHICLE SLIDE DOOR | KOBAYASHI, YOSHINAO |
| 10608694 | 6996967 | 150 | 06/27/2003 | CABLE SUPPORT STRUCTURE | KOBAYASHI, YOSHINAO |
| 10695039 | 6916062 | 150 | 10/27/2003 | CABLE ARRANGING CONSTRUCTION | KOBAYASHI, YOSHINAO |
| 10695196 | Not Issued | 61 | 10/27/2003 | Construction for arranging and supporting a cable of a slide door | KOBAYASHI, YOSHINAO |
| 10715851 | 6943501 | 150 | 11/19/2003 | ELECTROLUMINESCENT DISPLAY APPARATUS AND DRIVING METHOD THEREOF | KOBAYASHI, YOSHINAO |
| 10779682 | Not Issued | 41 | 02/18/2004 | Image display apparatus using current-controlled light emitting element | KOBAYASHI, YOSHINAO |
| 10782861 | Not Issued | 30 | 02/23/2004 | Display apparatus controlling brightness of current-controlled light emitting element | KOBAYASHI, YOSHINAO |
| 10844355 | Not Issued | 30 | 05/13/2004 | Image display apparatus controlling brightness of current-controlled light emitting element | KOBAYASHI, YOSHINAO |
| 10859161 | Not Issued | 93 | 06/03/2004 | IMAGE DISPLAY APPARATUS | KOBAYASHI, YOSHINAO |
| 10860036 | Not Issued | 30 | 06/04/2004 | Image display apparatus | KOBAYASHI, YOSHINAO |
| 10926259 | 7122970 | 150 | 08/25/2004 | METHOD FOR TESTING OLED SUBSTRATE AND OLED DISPLAY | KOBAYASHI, YOSHINAO |
| 10942476 | Not Issued | 30 | 09/16/2004 | Device for guiding a conductor path for slide door | KOBAYASHI, YOSHINAO |

[Search and Display More Records.](#)

| | | | |
|---------------------------------|--|---------------------------------------|---------------------------------------|
| Search Another: Inventor | Last Name | First Name | |
| | <input type="text" value="KOBAYASHI"/> | <input type="text" value="YOSHINAO"/> | <input type="button" value="Search"/> |

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)